



Certificate of Analysis
Compliance Test

Client Information:

Anytime Seltzer
318 Massachusetts Ave NE
Washington, Washington 20002

Batch # NBC007
Batch Date: 2025-07-23
Extracted From: hemp

Test Reg State: Louisiana

Production Facility: Nebraska Brewing Company

Order # ANY250827-040005
Order Date: 2025-08-27
Sample # AAHA963

Sampling Date: 2025-09-02
Lab Batch Date: 2025-09-02
Completion Date: 2025-09-07

Volume: 355 ml
Net Weight per Serving: 355 mg

Serving Number: 1.00000



Potency Tested



Heavy Metals Passed



Pesticides Passed



Residual Solvents Passed



Pathogenic Passed



Microbiology Petrifilm
Passed

Product Image

Delta 8/Delta 10 Potency 13 - (LCUV)

Specimen Weight: 355000.000 mg

Tested

SOP13.001 (LCMS)

Analyte	LOD (mg/g)	LOQ (%)	Result (µg/ml)	(%)
CBD	5.40E-5	0.0015	18.300	0.00183
Delta-9 THC	1.30E-5	0.0015	15.400	0.00154
CBC	1.80E-5	0.0015	<LOQ	<LOQ
CBDA	1.00E-5	0.0015	<LOQ	<LOQ
CBDV	6.50E-5	0.0015	<LOQ	<LOQ
CBG	2.48E-4	0.0015	<LOQ	<LOQ
CBGA	8.00E-5	0.0015	<LOQ	<LOQ
CBN	1.40E-5	0.0015	<LOQ	<LOQ
Delta-10 THC	3.00E-6	0.0015	<LOQ	<LOQ
Delta-8 THC	2.60E-5	0.0015	<LOQ	<LOQ
Delta6a10a-THC	8.47E-5	0.0015	<LOQ	<LOQ
THCA-A	3.20E-5	0.0015	<LOQ	<LOQ
THCV	7.00E-6	0.0015	<LOQ	<LOQ
Total Active THC			0.015	0.00154
Total Active CBD			0.018	0.00183

Potency Summary

Total Delta 8 per Serving ND	Total Delta 10 per Serving ND
Delta 9 THC per Serving 0.00154% 5.467mg	Total Active CBD per Serving 0.00183% 6.497mg
Total CBG per Serving ND	Total CBN per Serving ND
Total Cannabinoids per Serving 0.00337% 11.964mg	Total Active CBD Per Package 0.00183% 6.497mg
Total Active THC per Serving 0.00154% 5.467mg	Total Active THC Per Package 0.00154% 5.467mg
Delta 9 THC per Package 0.00154% 5.467mg	

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Delta-9 THC = Delta-9 THC + THCA, Total Active THC = Total Delta-9 THC + Delta6a10a-THC + Delta-8 THC + Delta-10 THC + Delta-8 THC-O-Acetate + THC-O-Acetate + Delta-10 THC-O-Acetate, Total THCV = THC + (THCVA * 0.877), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per LA rule R.S., 40:4(A)(13), R.S. 3:1483, R.S. 40:604. Failed - Analyte/microbe is at the level that equal or above the action limit per LA rule R.S., 40:4(A)(13), R.S. 3:1483, R.S. 40:604 The results apply to the sample as received.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.



Certificate of Analysis
Compliance Test

Client Information:

Anytime Seltzer
318 Massachusetts Ave NE
Washington, Washington 20002

Batch # NBC007
Batch Date: 2025-07-23
Extracted From: hemp

Test Reg State: Louisiana

Production Facility: Nebraska Brewing Company

Order # ANY250827-040005
Order Date: 2025-08-27
Sample # AAHA963

Sampling Date: 2025-09-02
Lab Batch Date: 2025-09-02
Completion Date: 2025-09-07

Volume: 355 ml
Net Weight per Serving: 355 mg

Serving Number: 1.00000

Microbiology TYM (Petrifilm/Plating) - LA
Specimen Weight: 1001.900 mg

Passed
SOP13.003 (Petrifilm)

Dilution Factor: 1.000

Analyte	LOQ (cfu/g)	Action Level (cfu/g)	Result (cfu/g)
Yeast/Mold	10000	10000	<10000

Pathogenic SE (qPCR)

Passed
SOP13.029 (qPCR)

Specimen Weight: 1022.500 mg

Dilution Factor: 1.000

Analyte	Result (cfu/g)	Analyte	Result (cfu/g)
E.Coli	Absence in 1g	Salmonella	Absence in 1g

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.





Certificate of Analysis
Compliance Test

Client Information:

Anytime Seltzer
318 Massachusetts Ave NE
Washington, Washington 20002

Batch # NBC007
Batch Date: 2025-07-23
Extracted From: hemp

Test Reg State: Louisiana

Production Facility: Nebraska Brewing Company

Order # ANY250827-040005
Order Date: 2025-08-27
Sample # AAHA963

Sampling Date: 2025-09-02
Lab Batch Date: 2025-09-02
Completion Date: 2025-09-07

Volume: 355 ml
Net Weight per Serving: 355 mg

Serving Number: 1.00000

H Heavy Metals - LA
Specimen Weight: 253.300 mg

Passed
SOP13.048 (ICP-MS)

Dilution Factor: 197.394

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
Arsenic (As)	0.005	0.1	10	<LOQ	Lead (Pb)	0.006	0.1	10	<LOQ
Cadmium (Cd)	0.001	0.1	4.1	<LOQ	Mercury (Hg)	0.012	0.1	2	<LOQ

I Residual Solvents - LA (CBD)
Specimen Weight: 4.300 mg

Passed
SOP13.039 (GCMS-HS)

Dilution Factor: 1.000

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
1,1-Dichloroethene	0.009	0.16	8	<LOQ	Heptane	0.001	1.39	500	<LOQ
1,2-Dichloroethane	0.000	0.04	5	<LOQ	Hexane	0.068	1.17	10	<LOQ
Acetone	0.015	2.08	5000	<LOQ	Isopropyl alcohol	0.005	1.39	500	<LOQ
Acetonitrile	0.060	1.17	410	<LOQ	Methanol	0.001	0.69	3000	<LOQ
Benzene	0.000	0.02	1	<LOQ	Methylene chloride	0.003	2.43	600	<LOQ
Butanes	0.417	2.5	800	<LOQ	Pentane	0.037	2.08	5000	<LOQ
Chloroform	0.000	0.04	60	<LOQ	Propane	0.031	5.83	2100	<LOQ
Ethanol	0.002	2.78	5000	223	Toluene	0.001	2.92	1	<LOQ
Ethyl Acetate	0.001	1.11	5000	<LOQ	Total Xylenes	0.000	2.92	1	<LOQ
Ethyl Ether	0.005	1.39	5000	<LOQ	Trichloroethylene	0.001	0.49	80	<LOQ
Ethylene Oxide	0.004	0.1	5	<LOQ					

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.





Certificate of Analysis
Compliance Test

Client Information:

Anytime Seltzer
318 Massachusetts Ave NE
Washington, Washington 20002

Batch # NBC007
Batch Date: 2025-07-23
Extracted From: hemp

Test Reg State: Louisiana

Production Facility: Nebraska Brewing Company

Order # ANY250827-040005
Order Date: 2025-08-27
Sample # AAHA963

Sampling Date: 2025-09-02
Lab Batch Date: 2025-09-02
Completion Date: 2025-09-07

Volume: 355 ml
Net Weight per Serving: 355 mg

Serving Number: 1.00000

Pesticides - LA
Specimen Weight: 615.400 mg

Passed
SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.440

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
Abamectin	0.000	0.009	0.3	<LOQ	Hexythiazox	0.000	0.0096	2	<LOQ
Acephate	0.000	0.0096	5	<LOQ	Imazail	0.001	0.0096	0	<LOQ
Acequinocyl	0.001	0.0096	4	<LOQ	Imidacloprid	0.000	0.0096	3	<LOQ
Acetamiprid	0.000	0.0096	5	<LOQ	Kresoxim Methyl	0.000	0.0096	1	<LOQ
Aldicarb	0.000	0.0096	0	<LOQ	Malathion	0.000	0.0096	5	<LOQ
Azoxystrobin	0.001	0.0096	40	<LOQ	Metaxyl	0.001	0.0096	15	<LOQ
Bifenazate	0.000	0.0096	5	<LOQ	Methiocarb	0.000	0.0096	0	<LOQ
Bifenthrin	0.000	0.0096	0.5	<LOQ	Methomyl	0.000	0.0096	0.1	<LOQ
Boscalid	0.000	0.0096	10	<LOQ	methyl-Parathion	0.003	0.0096	0	<LOQ
Captan	0.009	0.048	5	<LOQ	Mevinphos	0.001	0.0096	0	<LOQ
Carbaryl	0.000	0.0096	0.5	<LOQ	Myclobutanil	0.001	0.0096	9	<LOQ
Carbofuran	0.000	0.0096	0	<LOQ	Naled	0.000	0.0096	0.5	<LOQ
Chlorantraniliprole	0.000	0.0096	40	<LOQ	Oxamyl	0.000	0.0096	0.2	<LOQ
Chlorfenapyr	0.003	0.0096	0.1	<LOQ	Pacllobutrazol	0.000	0.0096	0	<LOQ
Chlorpyrifos	0.000	0.0096	0	<LOQ	Pentachloronitrobenzen (Quintozene)	0.005	0.0096	0.2	<LOQ
Clofentezine	0.000	0.0096	0.5	<LOQ	Permethrin	0.001	0.0096	20	<LOQ
Coumaphos	0.000	0.0096	0	<LOQ	Phosmet	0.000	0.0096	0.2	<LOQ
Cyfluthrin	0.008	0.048	1	<LOQ	Piperonylbutoxide	0.000	0.0096	8	<LOQ
Cypermethrin	0.001	0.0096	1	<LOQ	Prallethrin	0.001	0.0096	0.4	<LOQ
Daminozide	0.002	0.0096	0	<LOQ	Propiconazole	0.000	0.0096	20	<LOQ
Diazinon	0.001	0.0096	0.2	<LOQ	Propoxur	0.000	0.0096	0	<LOQ
Dichlorvos	0.000	0.0096	0	<LOQ	Pyrethrins	0.000	0.0014	1	<LOQ
Dimethoate	0.000	0.0096	0	<LOQ	Pyridaben	0.000	0.0096	3	<LOQ
Dimethomorph	0.000	0.0096	20	<LOQ	Spinetoram	0.000	0.0096	3	<LOQ
Ethoprophos	0.000	0.0096	0	<LOQ	Spinosad	0.000	0.00239	3	<LOQ
Etofenprox	0.000	0.0096	0	<LOQ	Spiromesifen	0.000	0.0096	12	<LOQ
Etoxazole	0.001	0.0096	1.5	<LOQ	Spirotetramat	0.000	0.0096	13	<LOQ
Fenhexamid	0.001	0.0096	10	<LOQ	Spiroxamine	0.000	0.0096	0	<LOQ
Fenoxycarb	0.000	0.0096	0	<LOQ	Tebuconazole	0.000	0.0096	2	<LOQ
Fenpyroximate	0.000	0.0096	2	<LOQ	Thiacloprid	0.000	0.0096	0	<LOQ
Fipronil	0.001	0.0096	0.1	<LOQ	Thiamethoxam	0.000	0.0096	4.5	<LOQ
Fonicamid	0.000	0.0096	2	<LOQ	Trifloxystrobin	0.000	0.0096	30	<LOQ
Fludioxonil	0.001	0.0096	30	<LOQ					

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

