



Certificate of Analysis
Compliance Test

Client Information:

Anytime Seltzer
318 Massachusetts Ave NE
Washington, Washington 20002

Batch # NBC011
Batch Date: 2025-10-30
Extracted From: Hemp

Test Reg State: Louisiana

Production Facility: Nebraska Brewing
company
Production Date: 2025-10-30

Order # ANY251124-040001
Order Date: 2025-11-24
Sample # AAHF916
Density: 1.037 g/ml

Sampling Date: 2025-11-26
Lab Batch Date: 2025-11-26
Completion Date: 2025-12-08

Density: 1.037 g/ml
Volume: 355 ml
Net Weight per Serving: 355 ml

Serving Number: 1.00000



Product Image



Potency Tested



Heavy Metals Passed



Pesticides Passed



Residual Solvents Passed



Pathogenic Microbiology Passed



Microbiology Petrifilm Passed

Delta 8/Delta 10 Potency 13 - (LCMS)

Specimen Weight: 330000.000 mg

Analyte	LOD (mg/g)	LOQ (%)	Result (µg/ml)	(%)
CBD	5.40E-5	0.0015	16.074	0.00155
Delta-9 THC	1.30E-5	0.1	4.635	0.000447
CBC	1.80E-5	0.0015	<LOQ	<LOQ
CBDA	1.00E-5	0.0015	<LOQ	<LOQ
CBDV	6.50E-5	0.0015	<LOQ	<LOQ
CBG	2.48E-4	0.0015	<LOQ	<LOQ
CBGA	8.00E-5	0.0015	<LOQ	<LOQ
CBN	1.40E-5	0.0015	<LOQ	<LOQ
Delta-10 THC	3.00E-6	0.0015	<LOQ	<LOQ
Delta-8 THC	2.60E-5	0.0015	<LOQ	<LOQ
Delta6a10a-THC	8.47E-5	0.0015	<LOQ	<LOQ
THCA-A	3.20E-5	0.0015	<LOQ	<LOQ
THCV	7.00E-6	0.0015	<LOQ	<LOQ
Total Active CBD			0.016	0.00155
Total Active THC			4.635	0.000447

Tested

SOP13.030 (LCMS)



Potency Summary

Delta 9 THC per Serving 0.000447% 1.646mg	Total Active CBD per Serving 0.00155% 5.706mg
Total CBG per Serving - ND	Total CBN per Serving - ND
Total Cannabinoids per Serving 0.001997% 7.352mg	Total Active CBD Per Package 0.00155% 5.706mg
Total Active THC per Serving 0.000447% 1.646mg	Total Active THC Per Package 0.000447% 1.646mg
Delta 9 THC per Package 0.000447% 1.646mg	

Aixia Sun

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)



Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Delta-9 THC = Delta-9 THC + THCA, Total Active THC = Total Delta-9 THC + Delta6a10a-THC + Delta-8 THC + Delta-10 THC + Delta-8 THC-O-Acetate + THC-O-Acetate + Delta-10 THC-O-Acetate, Total THCV = THCV + (THCVA * 0.877), CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per LA rule R.S., 40:4(A)(13), R.S. 3:1483, R.S. 40:604. Failed - Analyte/microbe is at the level that equal or above the action limit per LA rule R.S., 40:4(A)(13), R.S. 3:1483, R.S. 40:604 The results apply to the sample as received.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.



Certificate of Analysis
Compliance Test

Client Information:

Anytime Seltzer

318 Massachusetts Ave NE
Washington, Washington 20002

Batch # NBC011
Batch Date: 2025-10-30
Extracted From: Hemp

Test Reg State: Louisiana

Production Facility: Nebraska Brewing
company
Production Date: 2025-10-30

Order # ANY251124-040001
Order Date: 2025-11-24
Sample # AAHF916
Density: 1.037 g/ml

Sampling Date: 2025-11-26
Lab Batch Date: 2025-11-26
Completion Date: 2025-12-08

Density: 1.037 g/ml
Volume: 355 ml
Net Weight per Serving: 355 mg

Serving Number: 1.00000

Microbiology TYM (Petrifilm/Plating) - LA

Specimen Weight: 1002.700 mg

Passed
SOP13.003 (Petrifilm)

Dilution Factor: 1.000

Analyte	LOQ (cfu/g)	Action Level (cfu/g)	Result (cfu/g)
Yeast/Mold	10000	10000	200

Pathogenic Microbiology - SE (MicroArray)

Specimen Weight: 1038.500 mg

Passed
SOP13.019 (Micro Array)

Dilution Factor: 1.000

Analyte	Result (cfu/g)	Analyte	Result (cfu/g)
Salmonella	Absence in 1g	STEC E. Coli	Absence in 1g

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.





Certificate of Analysis
Compliance Test

Client Information:

Anytime Seltzer
318 Massachusetts Ave NE
Washington, Washington 20002

Batch # NBC011
Batch Date: 2025-10-30
Extracted From: Hemp

Test Reg State: Louisiana

Production Facility: Nebraska Brewing
company
Production Date: 2025-10-30

Order # ANY251124-040001
Order Date: 2025-11-24
Sample # AAHF916
Density: 1.037 g/ml

Sampling Date: 2025-11-26
Lab Batch Date: 2025-11-26
Completion Date: 2025-12-08

Density: 1.037 g/ml
Volume: 355 ml
Net Weight per Serving: 355 mg

Serving Number: 1.00000



Heavy Metals - LA

Specimen Weight: 251.500 mg

Passed
SOP13.048 (ICP-MS)

Dilution Factor: 198.807

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
Arsenic (As)	.00483	0.1	10	<LOQ	Lead (Pb)	0.0058	0.1	10	<LOQ
Cadmium (Cd)	.00064	0.1	4.1	<LOQ	Mercury (Hg)	.01176	0.1	2	<LOQ



Residual Solvents - LA (CBD)

Specimen Weight: 1002.600 mg

Passed
SOP13.039 (GCMS-HS)

Dilution Factor: 1.000

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
1,1-Dichloroethene	0.009	0.16	8	<LOQ	Heptane	0.001	1.39	500	<LOQ
1,2-Dichloroethane	0.000	0.04	5	<LOQ	Hexane	0.068	1.17	10	<LOQ
Acetone	0.015	2.08	5000	<LOQ	Isopropyl alcohol	0.005	1.39	500	<LOQ
Acetonitrile	0.060	1.17	410	<LOQ	Methanol	0.001	0.69	3000	<LOQ
Benzene	0.000	0.02	1	<LOQ	Methylene chloride	0.003	2.43	600	<LOQ
Butanes	0.417	2.5	800	<LOQ	Pentane	0.037	2.08	5000	<LOQ
Chloroform	0.000	0.04	60	<LOQ	Propane	0.031	5.83	2100	<LOQ
Ethanol	0.002	2.78	5000	2340	Toluene	0.001	2.92	1	<LOQ
Ethyl Acetate	0.001	1.11	5000	<LOQ	Total Xylenes	0.000	2.92	1	<LOQ
Ethyl Ether	0.005	1.39	5000	<LOQ	Trichloroethylene	0.001	0.49	80	<LOQ
Ethylene Oxide	0.004	0.1	5	<LOQ					

Aixia Sun

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.





Certificate of Analysis
Compliance Test

Client Information:

Anytime Seltzer

318 Massachusetts Ave NE
Washington, Washington 20002

Batch # NBC011
Batch Date: 2025-10-30
Extracted From: Hemp

Test Reg State: Louisiana

Production Facility: Nebraska Brewing
company
Production Date: 2025-10-30

Order # ANY251124-040001
Order Date: 2025-11-24
Sample # AAHF916
Density: 1.037 g/ml

Sampling Date: 2025-11-26
Lab Batch Date: 2025-11-26
Completion Date: 2025-12-08

Density: 1.037 g/ml
Volume: 355 ml
Net Weight per Serving: 355 mg

Serving Number: 1.00000



Pesticides - LA

Specimen Weight: 603.600 mg

Passed

SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.490

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
Abamectin	4.3500E-4	0.009	0.3	<LOQ	Hexythiazox	4.5000E-5	0.0096	2	<LOQ
Acephate	4.6700E-4	0.0096	5	<LOQ	Imazail	6.3900E-4	0.0096	0	<LOQ
Acequinocyl	8.0100E-4	0.0096	4	<LOQ	Imidacloprid	1.5900E-4	0.0096	3	<LOQ
Acetamiprid	8.0000E-5	0.0096	5	<LOQ	Kresoxim Methyl	2.6800E-4	0.0096	1	<LOQ
Aldicarb	1.2400E-4	0.0096	0	<LOQ	Malathion	4.1000E-4	0.0096	5	<LOQ
Azoxystrobin	6.8300E-4	0.0096	40	<LOQ	Metalaxyl	7.4900E-4	0.0096	15	<LOQ
Bifenazate	8.2000E-5	0.0096	5	<LOQ	Methiocarb	9.9000E-5	0.0096	0	<LOQ
Bifenthrin	1.2100E-4	0.0096	0.5	<LOQ	Methomyl	1.2100E-4	0.0096	0.1	<LOQ
Boscalid	1.5300E-4	0.0096	10	<LOQ	methyl-Parathion	3.0650E-3	0.0096	0	<LOQ
Captan	8.9660E-3	0.048	5	<LOQ	Mevinphos	1.3700E-3	0.0096	0	<LOQ
Carbaryl	1.1800E-4	0.0096	0.5	<LOQ	Myclobutanil	5.7100E-4	0.0096	9	<LOQ
Carbofuran	1.7800E-4	0.0096	0	<LOQ	Naled	8.3000E-5	0.0096	0.5	<LOQ
Chlorantraniliprole	5.2000E-5	0.0096	40	<LOQ	Oxamyl	1.2300E-4	0.0096	0.2	<LOQ
Chlorfenapyr	3.1210E-3	0.0096	0.1	<LOQ	Pacllobtrazol	1.2300E-4	0.0096	0	<LOQ
Chlorpyrifos	2.7100E-4	0.0096	0	<LOQ	Pentachloronitrobenzen (Quintozene)	5.1400E-3	0.0096	0.2	<LOQ
Clofentezine	1.1900E-4	0.0096	0.5	<LOQ	Permethrin	7.1800E-4	0.0096	20	<LOQ
Coumaphos	1.2900E-4	0.0096	0	<LOQ	Phosmet	3.0100E-4	0.0096	0.2	<LOQ
Cyfluthrin	7.7300E-3	0.048	1	<LOQ	Piperonylbutoxide	2.1700E-4	0.0096	8	<LOQ
Cypermethrin	8.8700E-4	0.0096	1	<LOQ	Prallethrin	1.3650E-3	0.0096	0.4	<LOQ
Daminozide	1.7970E-3	0.0096	0	<LOQ	Propiconazole	2.5900E-4	0.0096	20	<LOQ
Diazinon	1.3280E-3	0.0096	0.2	<LOQ	Propoxur	1.4700E-4	0.0096	0	<LOQ
Dichlorvos	4.6500E-4	0.0096	0	<LOQ	Pyrethrins	2.5600E-4	0.0014	1	<LOQ
Dimethoate	3.6600E-4	0.0096	0	<LOQ	Pyridaben	5.9000E-5	0.0096	3	<LOQ
Dimethomorph	2.7200E-4	0.0096	20	<LOQ	Spinetoram	3.4600E-4	0.0096	3	<LOQ
Ethoprophos	1.9200E-4	0.0096	0	<LOQ	Spinosad	2.8000E-5	0.00239	3	<LOQ
Etofenprox	1.1600E-4	0.0096	0	<LOQ	Spiromesifen	2.9100E-4	0.0096	12	<LOQ
Etoxazole	5.7000E-4	0.0096	1.5	<LOQ	Spirotetramat	1.4100E-4	0.0096	13	<LOQ
Fenhexamid	1.0110E-3	0.0096	10	<LOQ	Spiroxamine	1.1900E-4	0.0096	0	<LOQ
Fenoxycarb	1.6900E-4	0.0096	0	<LOQ	Tebuconazole	1.3400E-4	0.0096	2	<LOQ
Fenpyroximate	1.3900E-4	0.0096	2	<LOQ	Thiacloprid	3.9700E-4	0.0096	0	<LOQ
Fipronil	6.0500E-4	0.0096	0.1	<LOQ	Thiamethoxam	1.0400E-4	0.0096	4.5	<LOQ
Fonicamid	1.2800E-4	0.0096	2	<LOQ	Trifloxystrobin	8.8000E-5	0.0096	30	<LOQ
Fludioxonil	5.2100E-4	0.0096	30	<LOQ					

Aixia Sun
Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

